



## REQUEST FOR QUOTATION (RFQ)

Date: November 20, 2020

RFQ No.: 20NMSC72 – G

The Northwestern Mindanao State College of Science and Technology (NMSCST), through its Bids and Awards Committee (BAC), intends to procure in accordance with Section 53.9 (Small Value Procurement) of the 2016 Revised Implementing Rules and Regulations of Republic Act No. 9184 of the following:

Name of Project:	Supply and Delivery of Musical Instruments
Specification/Terms of Reference:	See Second Page
Approved Budget for the Contract (ABC):	800,000.00
Deadline of Submission of Bid:	November 27, 2020
Delivery Schedule:	60 days

Interested bidders must submit quotations duly signed by your authorized representative not later than **27 of November 2020 at 09:00 AM**. A copy of your valid **PhilGEPS membership Certificate, Mayor's/Business and Price Quotation Form (Annex A)** are required to be submitted along with your quotation.

Award of contract shall be made to the lowest quotation which complies terms and conditions and the following documents are required to submit:

1. Notarized omnibus sworn statement
2. Latest Income/Business Tax Return
3. Tax Clearance

Open quotations may be submitted, personally at BAC Office NMSCST, Labuyo, Tangub City. Moreover, an electronic copy can be submitted but the original copy of the quotations must be submitted via courier for the lowest calculated bidder.

The Northwestern Mindanao State College of Science and Technology reserves the right to accept or reject any or all bids/price quotations to annul the process and to reject all bids at any time without thereby incurring any liability to the affected bidder or bidders.

For inquiry, you may contact the BAC secretariat at (088) 586 – 0173 or email address [bacsecoffice@nmsc.edu.ph](mailto:bacsecoffice@nmsc.edu.ph).

  
**MARILOU M. ABATAYO, Ph.D.**  
BAC Chairperson



Annex A

Date: \_\_\_\_\_

RFQ No.: 20NMSC72 – G

## PRICE QUOTATION FORM

**Dr. MARILOU M. ABATAYO**

BAC Chairperson

NMSCST, Labuyo

Tangub City

Ma'am:

After having carefully read and accepted the terms and conditions in the above RFQ No., hereunder is our quotation/s for the item/s as follows:

*Note: Please your quotation in the "Bid Offer" portion that include brand if applicable.*

Item No.	Description/Specification	Quantity	Unit	Unit Price	Amount
1	<p><b>Keyboard</b></p> <ul style="list-style-type: none"> <li>• 61 keys</li> <li>• synthesizer workstation</li> <li>• AWM2 with Expanded Articulation</li> </ul> <p>Semi, weighted, 1x pitch bend, 1x MOD wheel, 8x Assignable knobs USB, 4-track playback, 2 x 1/4" Audio outputs and Inputs, 1x1/4 HeadpP USB 1x Type A, 1x Type B, MIDI 1/0 in/out/THRU, Pedal Inputs 3x1/4" Power supply PA-150, Height 5" width40.5;Depth 14", weight 15.65 LBS, 1xUSB Memory Expansion Slot.</p> <p><b>Bid Offer:</b></p>	1	Pc		
2.	<p><b>Bass Guitar</b></p> <ul style="list-style-type: none"> <li>• Sheeter Guitars</li> <li>• Body Material: Basswood</li> <li>• Bridge: Diamond Bass</li> <li>• Tuners: Sheeters</li> <li>• Fret: 24 medium</li> <li>• Neck Material: Maple</li> <li>• Inlays: Pearloid Dots with gothic Cross at 12 ft fret</li> <li>• Scale: 34" ( 863mm)</li> <li>• Neck Shape: thin 'C'</li> <li>• Thickness: @ 1st fret - 787" (20mm)1@12th fret - .866"(22mm)</li> </ul> <p><b>Bid Offer:</b></p>	2	pcs		



3	<p><b>Electrical Guitar</b></p> <ul style="list-style-type: none"> <li>• T-Style Mahogany body semi hollow</li> <li>• Maple neck with 22 fret rosewood finger board</li> <li>• Upgraded Nut to Graphtech PT- 500 Black TUSQ Custom Head stock with vintage style tuners</li> <li>• Hard Tail bridge</li> <li>• Almico Single coil neck And bridge pick-up ( 7K DC resistance)</li> <li>• 3 way section with 2 Volume, 2 Tone ( one volume and Tone per pick-Up)</li> <li>• Comes with Guitar Pusher Gig bag</li> </ul> <p><b>Bid Offer:</b></p>	2	pcs		
4	<p><b>AC Guitar</b></p> <ul style="list-style-type: none"> <li>• Mahagony Seris</li> <li>• Body: All Mahagony</li> <li>• Size: 41" Dreadnaught</li> <li>• Fret Board:/ Rosewood</li> <li>• 21 Jumbo Frets</li> <li>• Active pick up Equipped with ISYS Preamp by Fishman</li> </ul> <p><b>Bid Offer:</b></p>	2	pcs		
5	<p><b>Acoustic Amplifier</b></p> <ul style="list-style-type: none"> <li>• On-board effects</li> <li>• 3 channels -a ll instrument welcome.</li> <li>• Master 5 band Graphic EQ.</li> <li>• Item dimensions: 433mm X 413mm X 368mm (HWD)</li> <li>• Carton dimensions: 495mm X 480mm X 415mm (HWD)</li> <li>• Item weight: 13.60 kg</li> </ul> <p><b>Bid Offer:</b></p>	1	pc		
6	<p><b>Electric Amplifier</b></p> <ul style="list-style-type: none"> <li>• 100 watts</li> <li>• Dual 12" Fender Special Design speakers</li> <li>• Two channel, single input</li> <li>• Reverb, delay/echo, chorus, trembo, vibratome and other effect.</li> <li>• Different amp voicing and distortion types</li> <li>• 1/8" auxiliary input and headphone output jacks</li> </ul> <p><b>Bid Offer:</b></p>	1	pc		



7	<p><b>Bass Amplifier</b></p> <ul style="list-style-type: none"> <li>• Boston Engineering</li> <li>• Bass Amplifier</li> <li>• MODEL: AK60GB</li> <li>• Good for beginners and Intermediate level</li> <li>• Indoor Gigs</li> <li>• 60 watts</li> </ul> <p><b>Bid Offer:</b></p>	1	pc		
8	<p><b>Keyboard Amplifier</b></p> <ul style="list-style-type: none"> <li>• 12" woofer, 1" tweeter</li> <li>• 90 w</li> <li>• Subwoofer output</li> <li>• FBQ Feedback Protection System</li> <li>• Onboard FX</li> <li>• 3 channels</li> <li>• XLR input</li> <li>• Aux Input</li> <li>• Headphone out</li> </ul> <p><b>Bid Offer:</b></p>	1	pc		
9	<p><b>Drum Microphone</b></p> <ul style="list-style-type: none"> <li>• Element: MB4K: Condenser/MB5K: Dynamic/MB6k Dynamic.</li> <li>• Polar Pattern: Cardioid</li> <li>• Frequency Response: MB4K: 80-20,000 Hz/ MB5k: 100-12,000 Hz/ MB6K: 60 - 12,000 Hz</li> <li>• Open Circuit Sensitivity: MB4K(Phantom/ Batt) : 46dB ( 5.0 mV)/ -48dB (3.8 mV) e 1V at Pa/MB5k: 58dB (1.2 mV) re 1V at Pa/MB6K: -59 db (1.1 mV) re 1 v at 1 Pa.</li> <li>• Impedance: MB4K ( phantom/Batt): 200 ohms / 250ohms/ MB5K:500 ohms / MB6K:500 ohms</li> <li>• Maximum Input sound Level: MB4K (Phantom/Batt) :137dB SPL/125 dB SPL, 1kHz at 1% T.H.D.</li> <li>• Switches: MB4K: On/ Off</li> <li>• Dynamic Range: MB4K( Phantom/Batt): 113dB / 101 dB , 1KHz at Max SPL.</li> <li>• Signal - to - Noise Ratio: MB4K : 70 dB 1 kHz at 1 Pa</li> <li>• Phantom Power Requirements: MB4K: 11 - 52V DC, 2 MA typical</li> <li>• Battery Type: MB4k : 1.5 V AA / VM3</li> <li>• Battery Current / life: MB4K : 1.4 mA/ 1200 hrs typical</li> </ul> <p><b>Bid Offer:</b></p>	1	Pc		
10	<p><b>Microphone Dynamic</b></p> <ul style="list-style-type: none"> <li>• Band</li> </ul> <p>1x unit Bardl, Microphone Calde, manual</p> <p><b>Bid Offer:</b></p>	3	Pc		



11	<p><b>Microphone Stand w/ Boom</b></p> <ul style="list-style-type: none"> <li>• Boom Stand</li> </ul> <p>Tripod, 32' - 61.5" 30' FIXED , Removable, Hybrid Sheet Metal Boom, Composite LEG, 5.15 lbs</p> <p><b>Bid Offer:</b></p>	4	pc		
12	<p><b>Mixer for other instrument</b></p> <ul style="list-style-type: none"> <li>• 18 XLR Input w/ DNA ( TM ) Microphone pic amps</li> <li>• Dynamic Compression ( Channels 1-8)</li> <li>• 3 band EQ with Sweepable mids</li> <li>• 4 aux sends: pre/post switching bopn sends 1=2</li> <li>• 60mm faders with mute and PFL/ AFL solo functions</li> <li>• 100 Alesis DSP effects</li> <li>• USB Audio connectivity w/ level control</li> <li>• Balanced XLR, balanced/ unbalancd 1/4 " outputs</li> </ul>	1	pc		
	<ul style="list-style-type: none"> <li>• Headphone out with independent level control</li> </ul> <p>Switchable Pahntom Power</p> <p><b>Bid Offer:</b></p>				
13	<p><b>Subwoofer Speaker Alto</b></p> <ul style="list-style-type: none"> <li>• Output Power: 1250 W peak, 625 W continuous</li> <li>• Transducer: 18" woofer 3" (76mm) voice coil</li> <li>• Frequency Response: 35 to 95 Hz (-10dB)</li> <li>• Maximum SPL: 131 dB @ 3.3' (1m)</li> <li>• Connections:2 x XLR-1/4" (6.35mm) inputs 2 x XLR output IEC power cable input</li> <li>• Input Level: Line +4 dBu (nominal)</li> <li>• External controls: Volume control Signal/clip limiter with LED Polarity-reverse switch High-pass filter switch with LED Extended low-frequency switch with LED Power switch with LED</li> <li>• Protections: Electric clip Thermal and transducer overdrive protection</li> <li>• Enclosure: Internally braced plywood cabinet 1.3"(35mm) mounting pole socket on top panel</li> <li>• Power Connections: Standard IEC cable</li> <li>• Input Voltage: 110 to 120, 220 to 240 VAC; 50/60Hz</li> <li>• Consumption: 26.8 x 20.7 x24.8" (680 x 5252 x 630mm)</li> <li>• Weight 70lb (32kg)</li> </ul> <p><b>Bid Offer:</b></p>	2	pcs		



14	<p><b>Mid High Speaker Behringer</b></p> <ul style="list-style-type: none"> <li>• Power Configuration: Bi-amped</li> <li>• LF Driver Size: 1x15"</li> <li>• HF Driver Size: 1.35"</li> <li>• LF Driver Power Amp: 450W Peak</li> <li>• HF Driver Power Amp: 100W Peak</li> <li>• Total power: 550W peak</li> <li>• Inputs: 1 x TRS, 1 x XLR</li> <li>• Outputs: 1 x XLR</li> <li>• Frequency Range: 55Hz-20Khz</li> <li>• Crossover Frequency: 2.4kHz</li> <li>• Maximum Peak SPL: 126dB</li> <li>• Height: 27.2"</li> <li>• Width: 17.3"</li> <li>• Depth:13.2</li> </ul> <p>Weight: 45.2 lbs.</p> <p><b>Bid Offer:</b></p>	2	pcs		
15	<p><b>Acoustic Guitar Bag, Electric Guitar Bag and Bass Guitar Bag</b></p> <ul style="list-style-type: none"> <li>• 5mm padding</li> <li>• heavy duty zippers</li> <li>• One zipped accessory compartment</li> <li>• Comfort padded handles</li> </ul> <p>Quick access carry sharp and padded shoulders straps.</p> <p><b>Bid Offer:</b></p>	3	Pcs		
16	<p><b>Keyboard Stand</b></p> <ul style="list-style-type: none"> <li>• Sturdy X- Style Stand •</li> </ul> <p>Firmly support keyboard Adjustable height for playing comfort</p> <p><b>Bid Offer:</b></p>	1	pc		
17	<p>XLR Male XLR Connector</p> <p><b>Bid Offer:</b></p>	20	pcs		
18	<p>XLR Female XLR Connector</p> <p><b>Bid Offer:</b></p>	20	pcs		
19	<p>PL Connector 6.3 mm mono plug, Black electrophoretic paint shell, Gold plated contacts</p> <p><b>Bid Offer:</b></p>	20	pcs		



20	<p><b>MIXER for drum</b></p> <ul style="list-style-type: none"> <li>• Brand : Trident</li> <li>• Mixing Consoles with Effects</li> <li>• 6,8,12,16,20 Mono Channel and 2 ground Stereo Input Channels</li> <li>• Simple, Flexible, High efficient, Fine and Super Linear Mic Pre Amp</li> <li>• With Build in 24 Bit DSp Digital Effect Processor</li> <li>• Overload Lamp can adjust its lightness according to the event of overload warning.</li> <li>• A inserting point is equiped for mono channel and main output, so to connect external signal processor</li> <li>• Provide real professional +48V Phantom power for condenser mic</li> <li>• 3 Band EQ, HM and LM swept, with England Style</li> <li>• 2 Groups of auxilliary ouput can be switched to the clippers before or after the push bar, can be connected to external processor</li> <li>• High Accurate 3 color level column, to display output level exactly.</li> </ul> <p><b>Bid Offer:</b></p>	1	Pc		
21	<p><b>Desk Mic Stand</b></p> <ul style="list-style-type: none"> <li>• Desk / Drum Adjustable microphone boom Heavy duty construction stand.</li> </ul> <p><b>Bid Offer:</b></p>	2	pc		
22	<p><b>Microphone wire mono</b></p> <ul style="list-style-type: none"> <li>• 100 meters/ roll</li> <li>• wooden spool</li> </ul> <p><b>Bid Offer:</b></p>	3	rolls		
23	<p><b>Microphone wire Quantum</b></p> <ul style="list-style-type: none"> <li>• 100 meters/roll</li> <li>• wooden spool</li> </ul> <p><b>Bid Offer:</b></p>	1	roll		
24	<p><b>Drum Set</b></p> <ul style="list-style-type: none"> <li>• 9 ply poplar shells (depth x diameter) :16" x 22 " , Bass drum 5.5 x 14" , Snare Drum 8" x 10 " and 9" x 12" rack toms.</li> <li>• Hardware: Cymbals Stand . Hi-Hat Stand. Snare Stand</li> <li>• Cymbals:16" Crash/ ride . 14 Hi-Hats. Accessories: Drumstick, pearl drum poster.</li> </ul> <p><b>Bid Offer:</b></p>	1	set		



25	<b>Violin 4/4</b> <ul style="list-style-type: none"> <li>• Lazer Violin Set Size: 4/4</li> <li>• With case, violin bow and rosin</li> <li>• 1 set Violin strings</li> <li>• 1 pc violin book Available color: Black/Brown</li> </ul> <b>Bid Offer:</b>	2	pcs		
26	<b>Classic Guitar</b> <ul style="list-style-type: none"> <li>• Top : Spruce</li> <li>• Back : Agathis</li> <li>• Side/Rib : Agathis</li> <li>• Neck : Nato</li> <li>• Finger Board : Nato</li> <li>• Bridge : Nato</li> <li>• Body Finish : Gloss</li> <li>• Strings Scale : 650 mm (25 9/16")</li> <li>• Body Depth : 94-100 mm (3 11/16"-3 15/16")</li> <li>• Finger Board Width (Nut/Body) : 52 mm</li> </ul> <b>Bid Offer:</b>	3	pcs		
<b>Total Amount:</b>					
<b>Amount in words:</b>					

The above-quoted prices are inclusive of all costs and applicable taxes.  
Delivery Schedule: 60 Days

Very truly yours,

\_\_\_\_\_  
Printed Name Over Signature/Designation

\_\_\_\_\_  
Company

\_\_\_\_\_  
Tel #/Address/e-mail add





**TERMS AND CONDITIONS:**

- ✦ Bidders shall provide correct and accurate information required in this form.
- ✦ All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract.
- ✦ Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
- ✦ Price quotation/s, to be denominated in Philippine peso shall include all taxes, duties and/or levies payable.
- ✦ Quotations shall include
- ✦ Quotations exceeding the Approved Budget for the Contract shall be rejected.
- ✦ Award of contract shall be made to the lowest quotation.
- ✦ The item/s shall be delivered/installed to NMSCST, Labuyo, Tangub City.
- ✦ **Delivery and/or installation period: sixty (60) days** upon conforme of the Purchase Order.
- ✦ The NMSCST shall have the right to inspect and/or to test the goods to confirm their conformity to the technical specifications.
- ✦ In case of two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the NMSCST BAC shall adopt and employ "draw lots" as the tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.
- ✦ Payment shall be made after delivery and upon the submission of the required supporting documents, i.e, order slip and/or billing statement, by the Supplier. Our Government Servicing Bank, i.e, the Land Bank of the Philippines, shall credit the amount due to the contractor's identified bank account not earlier than twenty-four (24) hours, but not later than forty-eight (48) hours, upon receipt of our advice. Please note that the corresponding bank transfer fee, if any, shall be chargeable to the supplier's account.
- ✦ Liquidated damages equivalent to one tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. The GPPB- TSO shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.

\_\_\_\_\_  
Printed Name Over Signature

\_\_\_\_\_  
Designation

\_\_\_\_\_  
Company

\_\_\_\_\_  
Tel #/Address/e-mail add

\_\_\_\_\_  
Date